

Revolution Retail Systems

FORTIS™ SERIES



Fortis 4/5 Notes Dual



Fortis 4/5 Notes Dual

HARDWARE FEATURES:

- Closed Loop Architecture of Notes and Coins; No Manual Intervention Required
- Continuous 24/7 Monitoring
- Audit Cassette Allowing Automatic Internal Validation of Any Recycling Cassette
- Lockable Large-Capacity Deposit Cassette Accepting Up to 7,200 Notes
- “Fitness Sort” on Recycled Notes
- Two Roll Storages with Capacity Up to 250 Notes Each to Hold Escrow and Rejected Notes, Respectively
- Pocket Note Acceptor Handles Large Bundles of Notes (Up to 250 Notes)
- Flexible Note Orientation (No Need to Separate or Face Notes)
- Scalable – Cluster Format – Up to Two (2) Note Recyclers in Dual Configurations
- Optional Integrated Biometrics (Fingerprint Reader)
- Optional Integrated Barcode Scanner for Till Check In/Out
- Optional Integrated Drop/Storage Vault
- Uninterruptible Power Supply

SOFTWARE FEATURES:

- PCI Compliant
- REACH™ Remote Monitoring and Management
- Real Time Cash/Coin Level Monitoring
- Reporting – Standard or Custom
- Lane and/or Clerk Accountability
- Tills and Drop Bags Automatically Traced to a Specific User by Utilizing Bar-Coding
- Multiple Tills per Register/Lane
- Configurable User Permission Levels for Equipment Access
- Multiple User Authentication Schemes (Log-in and PIN, or Biometrics)
- Automatic Prompting of Periodic Password Changes
- Customized Programming of ID Cards
- Track Monies Outside of Unit with External Vault Fund Function
- Guided Deposit Preparation: Automatically Calculates and Moves Deposit to Courier Cassette
- Automatic End of Day Reporting
- Courier Specific Log-In Menu
- Video Troubleshooting Tips
- Video Guidance for System Operation


FEATURE CAPABILITY:

- Ability to Integrate with POS System
- Same Day Credit on Deposit (Provisional Credit)

SPECIFICATIONS

Physical Characteristics (nominal):	Fortis 4 Notes Dual	Fortis 5 Notes Dual
Height	60.24" (1,530.07 mm)	60.24" (1,530.07 mm)
Width	41.22" (1,047.00 mm)	41.22" (1,047.00 mm)
Depth (install depth)	39.57" (1,005.00 mm)	39.57" (1,005.00 mm)
Weight (empty)	2,500 lbs (1,134 kg)	2,500 lbs (1,134 kg)
Device Configuration:		
Number of Recycle Cassettes	8	6
Number of Small Recycle Cassettes	0	4
Number of Deposit Cassettes	2	2
Number of Audit Cassettes	1	1
Notes:		
Capacity per Cassette (approximate):		
Recycle Cassette	3,000 notes	3,000 notes
Small Cassette	800 notes	800 notes
Deposit Cassette	7,200 notes	7,200 notes
Roll Storages (total)	500 notes	500 notes
Total Capacity of Notes	38,400 notes	35,600 notes
Processing:		
Processing Speed In or Out (max)	10 notes/sec	10 notes/sec
Recycling Capability (max)	(8) denominations	(10) denominations

FORTIS NOTES 4/5 DUAL



1 SYSTEM MUST BE SECURED TO LEVEL FLOOR.

2 IF THE A/C OUTLET IS NOT LOCATED IN THE INDICATED AREA BEHIND THE UNIT, THIS DIMENSION TO BE A MINIMUM OF 3".
IF THE A/C OUTLET IS LOCATED IN THE INDICATED AREA BEHIND THE UNIT, THIS DIMENSION TO BE A MINIMUM OF 5".

3 IF UPS/AC DISTRIBUTION BOX POWER SWITCH IS ON THE LEFT SIDE OF THE MACHINE, THIS DIMENSION CAN BE MINIMUM 1.00 [25.4] OTHERWISE THIS DIMENSION IS MINIMUM 6.00 [154.2].