

Revolution Retail Systems

PARAGON™ SERIES



3SE/4SE - 3L/4L Dual





SPECIFICATIONS: Paragon 3SE/4SE Dual

Height: 48.84" (1,240.6 mm)
 Width: 63.32" (1,582.9 mm)
 Depth: 38.25" (971.6 mm)
 Weight: 3,280 lbs. (1,488 kg) for 3SE
 Weight: 3,222 lbs. (1,462 kg) for 4SE
 *Unit must be secured to a level floor.



SPECIFICATIONS: Paragon 3L/4L Dual

Height: 49.36" (1,253.7 mm)
 Width: 70.83" (1,799 mm)
 Depth: 38.25" (971.6 mm)
 Weight: 3,982 lbs. (1,806.5 kg) for 3L
 Weight: 3,924 lbs. (1,780.1 kg) for 4L
 *Unit must be secured to a level floor.

Device Configuration:

- Number of recycle cassettes
- Number of deposit cassettes

Notes:

Capacity per cassette (approximate)

- Recycle cassette
- Deposit cassette

Total capacity of notes

Processing:

Bulk Note Acceptor

Note processing speed in/out

Recycle up to

Coin:

Capacity (maximum)

- Number of recycle modules
- Capacity by denomination:


| | Paragon 3SE Dual | Paragon 3L Dual | Paragon 4SE Dual | Paragon 4L Dual |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|
| Recycle cassette | 2,700 notes | 2,700 notes | 2,700 notes | 2,700 notes |
| Deposit cassette | 2,700 notes | 2,700 notes | 2,700 notes | 2,700 notes |
| Total capacity of notes | 21,600 notes | 21,600 notes | 27,000 notes | 27,000 notes |
| Processing: | | | | |
| Bulk Note Acceptor | | | | |
| Note processing speed in/out | 8 notes/sec | 8 notes/sec | 8 notes/sec | 8 notes/sec |
| Recycle up to | (6) Denominations | (6) Denominations | (8) Denominations | (8) Denominations |
| Coin: | | | | |
| Capacity (maximum) | | | | |
| Number of recycle modules | 4 | 4 | 4 | 4 |
| Capacity by denomination: | | | | |
| Pennies | 4,300 | 11,000 | 4,300 | 11,000 |
| Nickels | 2,900 | 7,000 | 2,900 | 7,000 |
| Dimes | 6,100 | 14,000 | 6,100 | 14,000 |
| Quarters | 2,350 | 6,000 | 2,350 | 6,000 |
| Fifty Cent Piece | 20 | 200 | 20 | 200 |
| Dollar | 130 | 800 | 130 | 800 |
| Sorted Overflow | --- | 24,000 | --- | 24,000 |
| Total Coin Capacity | 15,800 | 63,000 | 15,800 | 63,000 |
| Processing: | | | | |
| Coin processing speed in up to | 700 coin/min | 3,000 coin/min | 700 coin/min | 3,000 coin/min |
| Coin processing speed out up to | 16 coin/sec | 32 coin/sec | 16 coin/sec | 32 coin/sec |
| Accepts up to | (6) Denominations | (6) Denominations | (6) Denominations | (6) Denominations |
| Recycle up to | (4) Denominations | (4) Denominations | (4) Denominations | (4) Denominations |

Processing:


- Coin processing speed in up to
- Coin processing speed out up to
- Accepts up to
- Recycle up to

Paragon 3SE & 4SE Dual

- NOTES:**
- SYSTEM MUST BE SECURED TO LEVEL FLOOR.
 - IF THE A/C OUTLET IS NOT LOCATED IN THE INDICATED AREA BEHIND THE UNIT, THIS DIMENSION TO BE A MINIMUM OF 3".
 - IF THE A/C OUTLET IS LOCATED IN THE INDICATED AREA BEHIND THE UNIT, THIS DIMENSION TO BE A MINIMUM OF 5".



Paragon 3L & 4L Dual



HARDWARE FEATURES:

- Closed Loop Architecture of Notes and Coins; No Manual Intervention Required
- Coin Discrimination (i.e. Counterfeit Coin Rejection)
- Scalable – Up to Two (2) Note Recyclers
- Lockable Deposit Cassette
- “Fitness Sort” on Recycled Notes
- Flexible Note Orientation (No Need to Separate or Face Notes)
- Pocket Note Acceptor (Handles Large Bundles of Notes; Up to 200)
- Integrated drop/storage Vault- Optional
- Dispenses Coins Directly into Till Tray – Paragon 3SE & 4SE
- Dispenses Coins Directly into Till Drawer – Paragon 3L & 4L
- Optional Biometrics (Palm Scanner)
- Cup LEDs (Notification if Change is Left in Cups)
- Scalable Platform Network and Cluster multiple devices
- Continuous 24/7 Monitoring
- Integrated Printer

FEATURE CAPABILITY:

- Ability to Integrate with POS System
- Same Day Credit on Deposit (Provisional Credit)

SOFTWARE FEATURES:

- PCI Compliant
- REACH™ Remote Monitoring Solutions for Tech Support
- Real Time Cash/Coin Level Monitoring
- Scalable – Cluster Format
- Reporting – Standard or Custom
- Lane and/or Clerk Accountability
- Tills and Drop Bags Automatically Traced to a Specific User by Utilizing Bar-Coding
- Multiple Tills per Register/Lane
- Configurable User Permission Levels for Machine Access
- Multiple User Authentication Schemes (Card & PIN, Log-in and PIN, or Biometrics)
- Automatic Prompting of Periodic Password Changes
- Track Monies outside of Unit with External Vault Fund Function
- Guided Deposit Preparation: Automatically Calculates and Moves Deposit to Courier Cassette
- Automatic End of Day Reporting
- Courier Specific Log-In Menu
- Video Troubleshooting Tips
- Video Guidance for System Operation